

7924-JR

Sample ID: BIA240722S0030
 Strain: jealousy Runtz/Ripped off Runtz

Matrix: Plant
 Type: Flower - Cured
 Sample Size: 4.6 g
 Lot#:

Produced:
 Collected:
 Received: 07/25/2024
 Completed: 08/01/2024
 Batch#:

Client
Blezz
 Lic. # 0255
 26 Skyview Dr
 JERICHO, VT 05465



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	07/26/2024	Complete
Moisture	07/25/2024	10.70% - Complete
Water Activity	07/25/2024	0.532 aw - Complete
Microbials	08/01/2024	Complete

Cannabinoids

Completed

26.73%		0.07%		31.59%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOQ	Results	Results	Mass	
	mg/g	%	mg/g	mg/serving	
CBDVa	0.0005	<LOQ	<LOQ		
CBDV	0.0012	<LOQ	<LOQ		
CBDa	0.0008	0.08	0.8		
CBGa	0.0008	1.13	11.3		
CBG	0.0019	0.09	0.9		
CBD	0.0019	<LOQ	<LOQ		
THCV	0.0021	<LOQ	<LOQ		
CBN	0.0013	<LOQ	<LOQ		
Δ9-THC	0.0020	1.38	13.8		
Δ8-THC	0.0019	<LOQ	<LOQ		
Δ10-THC	0.0002	<LOQ	<LOQ		
CBC	0.0024	<LOQ	<LOQ		
THCa	0.0034	28.91	289.1		
Total THC		26.73	267.32		
Total CBD		0.07	0.67		
Total		31.59	315.88	0.00	

Analyst: 052

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes


LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Luke Emerson-Mason
 Laboratory Director
 08/01/2024

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



7924-JR**Sample ID:** BIA240722S0030
Strain: jealousy Runtz/Ripped off Runtz**Matrix:** Plant
Type: Flower - Cured
Sample Size: 4.6 g
Lot#:**Produced:**
Collected:
Received: 07/25/2024
Completed: 08/01/2024
Batch#:**Client**
Blezz
Lic. # 0255
26 Skyview Dr
JERICHO, VT 05465**Pathogens****Completed**

Pathogens	LOD CFU/g	Results CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018**Test Methodology:** Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes

Luke Emerson-Mason
Laboratory Director
08/01/2024Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

7924-Pest

 Sample ID: BIA240722S0034
 Strain: Pest for 7924

 Matrix: Plant
 Type: Flower - Cured
 Sample Size:
 Lot#:

 Produced:
 Collected:
 Received: 07/25/2024
 Completed: 08/01/2024
 Batch#:

 Client
Blezz
 Lic. # 0255
 26 Skyview Dr
 JERICO, VT 05465

Pesticides

Completed

Category 1 Pesticides	LOQ	Results
	PPM	PPM
Chlorpyrifos	0.0010	<LOQ
Imazalil	0.0010	<LOQ
Category 2 Pesticides	LOQ	Results
	PPM	PPM
Abamectin	0.0100	<LOQ
Acephate	0.0010	<LOQ
Acequinocyl	0.0010	<LOQ
Azoxystrobin	0.0010	<LOQ
Bifenazate	0.0010	<LOQ
Bifenthrin	0.0010	<LOQ
Carbaryl	0.0010	<LOQ
Cypermethrin	0.0100	<LOQ
Etoxazole	0.0010	<LOQ
Imidacloprid	0.0010	<LOQ
Myclobutanil	0.0010	<LOQ
Spinosyn A	0.0010	<LOQ
Spinosyn D	0.0010	<LOQ

Analyst: 048

Pesticides Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

ppm = parts per million

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.




 Luke Emerson-Mason
 Laboratory Director
 08/01/2024

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com
